

Work Order ID 81919

81919

Page 1

March-20-12 4:24:44 PM

Item ID: D3262-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Canister Assembly
 Start Date: 20/03/2012 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 03/04/2012 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: ML5 Date: 12/03/21 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3262	E

100 Weld per dwg A/R Aluminum rod Batch: R0169 0.00
100 Large Fab
 Memo 0.00
 Large Fab Weld canister assembly as per Dwg D3262 using DT8739 to align fittings

110 QC9- Inspect visual per QSI004- Fusion Welds 0.00
110 QC Memo 0.00
 Quality Control

120 QC5- Inspect part completeness to step on W/O 0.00
120 QC Memo 0.00
 Quality Control Pressure test as per Dwg D3262

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 81919

81919

Page 2

March-20-12 4:24:44 PM

Item ID: D3262-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Canister Assembly
 Start Date: 20/03/2012 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 03/04/2012 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.00							2Xp M/L 12/03/28
140 *140* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum Memo ****Ensure to mask threads **** START TIME: 1600 OVEN TEMPERATURE: 320°F FINISH TIME: 1630	0.00 0.00							2 8 (2P) 12/03/29 m120222
150 *150* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00							2 PL 12.3.29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 81919

81919

Page 3

March-20-12 4:24:44 PM

Item ID: D3262-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Canister Assembly
 Start Date: 20/03/2012 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 03/04/2012 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: <i>198</i>	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00							
Quality Control									

12/03-80

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March-20-12 4:24:48 PM

Page 1

Work Order ID: 81919

81919

Parent Item: D3262-043

D3262-043

Parent Item Name: Canister Assembly

Start Date: 20/03/2012

Required Date: 03/04/2012

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP rev A 10.01.19 new issue EC verified by: DD IPP Rev:B
as per ECN10-571 DD 10.05.10 verified :EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3262-1		Manufactured	No			100	Each	2.0000	1	2			
D3262-1									**			12-03	
Tube													

Location	Loc Qty	Loc Code
WA B	2	
77590	2	

D3262-5		Manufactured	No			100	Each	7.0000	2	4			
D3262-5									**			12-03	
Cap													

Location	Loc Qty	Loc Code
LG	6	
58148	0	
58358	0	
79830	6	
LG002	1	
74724	1	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			




NOTE: Date & initial all entries

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3262-041	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-3	CAP

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 81919 MLJ

12/03/21



D3262-041 CANISTER ASSEMBLY

RELEASED
2010-05-07
N/A

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3262-041" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 2.51 lbs
- 8) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR
PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO CHECK FOR LEAKS

E	0.25 WAS 0.45 (ZNC7-4, C7-5); 0.13 WAS 0.33 (ZN B7-4, B7-5); ADD DIMENSION (ZN B1-4, D1-5, B1-5)	RF	10.05.03
D	ADD D3262-043/-5 (ZN B5-2, B5-5); REVISE DIMENSIONS TO EQUAL TOOL DIMENSIONS (ZN B2-4; C2-4) PER CAR 09-004	RF	09.12.30
C	Ø5.165 WAS Ø5.190	RF	06.08.31
B	ADD PRESSURE TESTING OPTION	MB	05.02.14
A	NEW ISSUE	RF	04.05.06

REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	RF		
CHECKED	RF		
MFG APPR.	RF		
APPROVED	RF		
DE APPR.	RF		
DATE	10.05.03		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA



DRAWING NO. **D3262** REV. E
SHEET 1 OF 5

TITLE **FUEL PURGE CANISTER** SCALE NTS

COPYRIGHT © 2004 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

ITEM	QTY .043	P/N	DESCRIPTION
	X	D3262-043	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-5	CAP

8/9/9



D3262-043 CANISTER ASSEMBLY



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3262-043" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 2.50 lbs
- 8) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR
PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO CHECK FOR LEAKS
- 9) WELD CAPS WITH 3/4-16 TAP TOP HOLE IN LINE WITH 9/16-18 TAP BOTTOM HOLE

RELEASED
2010-05-07

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3262	REV. E
MFG. APPR.	<i>[Signature]</i>		SHEET 2 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	FUEL PURGE CANISTER	NTS
DATE	10.05.03	COPYRIGHT © 2004 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

81919




D3262-1 TUBE

RELEASED
2010-05-07


NOTES:

- 1) MATERIAL: 6061-T6 OR 6061-T62 ALUMINUM TUBING, 5.00 OD x 0.125 WALL
PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T6T5.000W.125
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.96 lbs
- 8) PART IS SYMMETRICAL ABOUT CENTERLINE


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO. D3262	REV. E
MFG. APPR.	RF	SHEET 3 OF 5	
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FUEL PURGE CANISTER	NTS
DATE	10.05.03	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



SECTION A-A C5-4



D3262-3 CAP



**DETAIL B C7-4
SCALE 2X**


NOTES:

- 1) MATERIAL: 6061-T6/T651 ALUMINUM BAR
PER QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP
(MAX) LETTERS WITH TOOL RADIUS OF 0.25 MIN
- 7) WEIGHT: 0.28 lbs
- 8) PART IS SYMMETRICAL ABOUT CENTERLINE


RELEASED
2010-05-07

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	RF	D3262	SHEET 4 OF 5
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FUEL PURGE CANISTER	NTS
DATE	10.05.03	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


81919




SECTION C-C D5-5



D3262-5 CAP



DETAIL D C7-5
SCALE 2X



DETAIL E B7-5
SCALE 2X

RELEASED
R 2010-05-07
MM

NOTES:

- 1) MATERIAL: 6061-T6/T651 ALUMINUM BAR
PER QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP
(MAX) LETTERS WITH TOOL RADIUS OF 0.25 MIN
- 7) WEIGHT: 0.27 lbs
- 8) PART IS SYMMETRICAL ABOUT CENTERLINE

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	RF	D3262	SHEET 5 OF 5
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FUEL PURGE CANISTER	NTS
DATE	10.05.03	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	